

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	(test\$1 near sequence\$1) and (state adj machine\$1) and satisfiabilit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 14:15
L2	5	(test\$1 near sequence\$1) and (state adj machine\$1) and satisfiabilit\$4 and protocol\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 14:25
L6	384	(714/39).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 14:25
L7	0	l6 and (state adj machine\$1) and satisfiabilit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 14:25
L8	815	(710/11,105).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 14:25
L9	0	l8 and (state adj machine\$1) and satisfiabilit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 14:32
L10	290	(702/127).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 14:32
L11	0	l10 and (state adj machine\$1) and satisfiabilit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 14:32
S1	42	MORI-TAKANORI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 09:34

S2	48	FUNABIKI-NOBUO	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 09:34
S3	154	OTSUKA-HIROTAKA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 09:35
S4	13	NAKATA-AKIO	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 09:36
S5	257	S1 S2 S3 S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 09:36
S6	0	S5 and protocol\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 09:37
S7	0	S5 and (frequency near state near machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 09:38
S8	2	S5 and (test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 09:48
S9	0	S5 and sat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 09:48
S10	0	(national near institute near information near communication\$1).asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 09:52
S11	5	nict.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 09:53

S12	612	(test\$3 with sequence\$3 with protocol\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 09:55
S13	0	S3 and (sat or (satisfia\$6 near problem\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 09:56
S14	0	S3 and (sat or (satisfia\$9 near problem\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 09:55
S15	21582	(test\$3 with protocol\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 09:55
S16	545	S15 and (sat or (satisfia\$6 near problem\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 10:01
S17	2	S15 and ((sat near problem\$1) or (satisfia\$6 near problem\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 10:06
S18	2	S15 and (sat or (satisfia\$6 near problem\$1)) and (finite near state near machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 09:58
S19	1	S15 and (sat or (satisfia\$6 near problem\$1)) and (conver\$6 with problem\$1 with (sat or (satisfia\$6 near problem\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 10:01
S20	43	S15 and ((sat near problem\$1 or solver\$1) or (satisfia\$6 near problem\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 10:07
S21	2	S15 and ((sat near (problem\$1 or solver\$1)) or (satisfia\$6 near problem\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 10:07

S22	2	S15 and ((sat near (problem\$1 or solver\$1)) or (satisfia\$6 near (problem\$1 or solver\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 10:10
S23	2	S15 and ((sat with (problem\$1 or solver\$1 or solving)) or (satisfia\$6 with (problem\$1 or solver\$1 or solving)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 10:11
S24	16	S15 and ((sat with (problem\$1 or solver\$1 or solving)).or (satisfi\$6 with (problem\$1 or solver\$1 or solving)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 10:11
S25	16	S15 and ((sat with (problem\$1 or solver\$1 or solving)) or (satisfi\$6 with (problem\$1 or solver\$1 or solving))) and protocol\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 10:15
S26	12	S15 and ((sat with (problem\$1 or solver\$1 or solving)) or (satisfi\$6 with (problem\$1 or solver\$1 or solving))) and protocol\$1 and conver\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 10:18
S27	2	S15 and ((sat with (problem\$1 or solver\$1 or solving)) or (satisfi\$6 with (problem\$1 or solver\$1 or solving))) and protocol\$1 and (state near machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 12:26
S28	10	((sat with (problem\$1 or solver\$1 or solving)) or (satisfia\$6 with (problem\$1 or solver\$1 or solving))) and protocol\$1 and (state near machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 12:29
S29	10	((sat with (problem\$1 or solver\$1 or solving)) or (satisfia\$6 with (problem\$1 or solver\$1 or solving))) and protocol\$1 and ((state or finite or infinite) near machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 13:51
S30	2	((sat with (problem\$1 or solver\$1 or solving)) or (satisfia\$6 with (problem\$1 or solver\$1 or solving))) and protocol\$1 and (test\$4 with protocol\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 12:33
S31	2	((sat with (problem\$1 or solver\$1 or solving)) or (satisfia\$6 with (problem\$1 or solver\$1 or solving))) and protocol\$1 and (test\$4 with sequence\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 12:33

S32	25	((sat with (problem\$1 or solver\$1 or solving)) or (satisfia\$6 with (problem\$1 or solver\$1 or solving))) and protocol\$1 and (sequence\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 12:33
S33	24	((sat with (problem\$1 or solver\$1 or solving)) or (satisfia\$6 with (problem\$1 or solver\$1 or solving))) and protocol\$1 and (sequence\$1) and test\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 13:50
S34	13	((sat with (problem\$1 or solver\$1 or solving)) or (satisfia\$6 with (problem\$1 or solver\$1 or solving))) and protocol\$1 and (sequence\$1) and test\$5 and (convert\$6 or conversion\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 12:57
S35	15	((sat with (problem\$1 or solver\$1 or solving)) or (satisfia\$6 with (problem\$1 or solver\$1 or solving))) and protocol\$1 and test\$5 and (convert\$6 or conversion\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 13:50
S36	30	((sat with (problem\$1 or solver\$1 or solving)) or (satisfia\$6 with (problem\$1 or solver\$1 or solving))) and protocol\$1 and test\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 13:50
S37	10	((sat with (problem\$1 or solver\$1 or solving)) or (satisfia\$6 with (problem\$1 or solver\$1 or solving))) and protocol\$1 and test\$5 and ((state or finite or infinite) near machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 09:05
S38	217	(702/118).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 08:50
S39	43	S38 and protocol\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 08:50
S40	0	S38 and protocol\$1 and ((sat with (problem\$1 or solver\$1 or solving)) or (satisfia\$6 with (problem\$1 or solver\$1 or solving)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 08:51

S41	196	(702/119).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 08:50
S42	54	S41 and protocol\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 08:50
S43	231	(702/122).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 08:51
S44	96	S43 and protocol\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 08:51
S45	0	S43 and protocol\$1 and ((sat with (problem\$1 or solver\$1 or solving)) or (satisfia\$6 with (problem\$1 or solver\$1 or solving)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 09:04
S46	607	(702/108).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 08:51
S47	51	S46 and protocol\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 08:51
S48	0	S43 and dhcp\$1 and ((sat with (problem\$1 or solver\$1 or solving)) or (satisfia\$6 with (problem\$1 or solver\$1 or solving)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 09:04
S49	0	((sat with (problem\$1 or solver\$1 or solving)) or (satisfia\$6 with (problem\$1 or solver\$1 or solving))) and dhcp\$1 and test\$5 and ((state or finite or infinite) near machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 09:05